

THE QACS&R SMALL ROTARY SCREW AIR COMPRESSOR RANGE

The Quantum Air Compressors Service & Repairs Small Rotary Screw Air Compressor Range includes the following variations:

*Base Mounted Models
Tank Mounted Models
Dryer and Filter Variations
Twin Compressor, Tank Mounted Models
Variable Speed Drive Models and
Skid Mounted Models*

Following are some of our standard arrangements. Please ask if other variations are of interest.

| <i>Description</i> | <i>Model</i> | <i>Free Air Delivery</i> | <i>Pressure (bar)</i> | <i>Tank Volume (L)</i> |
|--|--------------|--------------------------|-----------------------|------------------------|
| <i>Small Rotary Screw Air Compressor Range – Base Mounted Models</i> | | | | |
| <i>7.5kW Air Compressor – Base mounted</i> | <i>QS7.5</i> | <i>18.4 L/s (39cfm)</i> | <i>8.0 or 10.0</i> | <i>No Tank</i> |
| <i>11.0kW Air Compressor – Base mounted</i> | <i>QS11</i> | <i>26.9 L/s (57cfm)</i> | <i>8.0 or 10.0</i> | <i>No Tank</i> |
| <i>15.0kW Air Compressor – Base mounted</i> | <i>QS15</i> | <i>38.2 L/s (81cfm)</i> | <i>8.0 or 10.0</i> | <i>No Tank</i> |

*Performance is specified according to PNEUROP / GAGI PN2CPT2 measured at 7.0 bar
Free Air Delivery is measured at 7.0 bar discharge pressure and with a 7.0 bar drive arrangement
Data is subject to change without notice*

QUANTUM AIR COMPRESSORS, SERVICE AND REPAIRS
(A DIVISION OF AIR COMPRESSOR PRODUCTS AND SERVICES PTY LTD – ABN: 62 140 703 939)

PHONE – 1300 106 377
EMAIL – sales@aircompressorproducts.com.au
WEBSITE – www.quantumaircompressors.com.au

THE QACS&R SMALL ROTARY SCREW AIR COMPRESSOR RANGE

| <i>Description</i> | <i>Model</i> | <i>Free Air Delivery</i> | <i>Pressure (bar)</i> | <i>Tank Volume (L)</i> |
|---|------------------|--------------------------|-----------------------|-------------------------------|
| <i>Small Rotary Screw Air Compressor Range – Single Tank Mounted Models</i> | | | | |
| <i>7.5kW Air Compressor – Tank Mounted</i> | <i>QS7.5T</i> | <i>18.4 L/s (39cfm)</i> | <i>8.0 or 10.0</i> | <i>260, 450 or 800 litres</i> |
| <i>7.5kW Air Compressor – Tank Mounted with Dryer</i> | <i>QS7.5TD</i> | <i>18.4 L/s (39cfm)</i> | <i>8.0 or 10.0</i> | <i>260, 450 or 800 litres</i> |
| <i>7.5kW Air Compressor – Tank Mounted with Dryer and two Filters</i> | <i>QS7.5TDFF</i> | <i>18.4 L/s (39cfm)</i> | <i>8.0 or 10.0</i> | <i>260, 450 or 800 litres</i> |
| <i>11.0kW Air Compressor – Tank Mounted</i> | <i>QS11T</i> | <i>26.9 L/s (57cfm)</i> | <i>8.0 or 10.0</i> | <i>260, 450 or 800 litres</i> |
| <i>11.0kW Air Compressor – Tank Mounted with Dryer</i> | <i>QS11TD</i> | <i>26.9 L/s (57cfm)</i> | <i>8.0 or 10.0</i> | <i>260, 450 or 800 litres</i> |
| <i>11.0kW Air Compressor – Tank Mounted with Dryer and two Filters</i> | <i>QS11TDFF</i> | <i>26.9 L/s (57cfm)</i> | <i>8.0 or 10.0</i> | <i>260, 450 or 800 litres</i> |
| <i>15.0kW Air Compressor – Tank Mounted</i> | <i>QS15T</i> | <i>38.2 L/s (81cfm)</i> | <i>8.0 or 10.0</i> | <i>260, 450 or 800 litres</i> |
| <i>15.0kW Air Compressor – Tank Mounted with Dryer</i> | <i>QS15TD</i> | <i>38.2 L/s (81cfm)</i> | <i>8.0 or 10.0</i> | <i>260, 450 or 800 litres</i> |
| <i>15.0kW Air Compressor – Tank Mounted with Dryer and two Filters</i> | <i>QS15TDFF</i> | <i>38.2 L/s (81cfm)</i> | <i>8.0 or 10.0</i> | <i>260, 450 or 800 litres</i> |

Performance is specified according to PNEUROP / GAGI PN2CPT2 measured at 7.0 bar
 Free Air Delivery is measured at 7.0 bar discharge pressure and with a 7.0 bar drive arrangement
 Data is subject to change without notice

QUANTUM AIR COMPRESSORS, SERVICE AND REPAIRS
 (A DIVISION OF AIR COMPRESSOR PRODUCTS AND SERVICES PTY LTD – ABN: 62 140 703 939)

PHONE – 1300 106 377
 EMAIL – sales@aircompressorproducts.com.au
 WEBSITE – www.quantumaircompressors.com.au

THE QACS&R SMALL ROTARY SCREW AIR COMPRESSOR RANGE

| <i>Description</i> | <i>Model</i> | <i>Free Air Delivery</i> | <i>Pressure (bar)</i> | <i>Tank Volume (L)</i> |
|---|-------------------|--------------------------|-----------------------|---------------------------------|
| <i>Small Rotary Screw Air Compressor Range – Twin Tank Mounted Models</i> | | | | |
| <i>7.5kW Air Compressor – Twin Tank Mounted</i> | <i>QS7.5TT</i> | <i>18.4 L/s (39cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>7.5kW Air Compressor – Twin Tank Mounted with Dryer</i> | <i>QS7.5TTD</i> | <i>18.4 L/s (39cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>7.5kW Air Compressor – Twin Tank Mounted with Dryer and two Filters</i> | <i>QS7.5TTDFF</i> | <i>18.4 L/s (39cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>11.0kW Air Compressor – Twin Tank Mounted</i> | <i>QS11TT</i> | <i>26.9 L/s (57cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>11.0kW Air Compressor – Twin Tank Mounted with Dryer</i> | <i>QS11TTD</i> | <i>26.9 L/s (57cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>11.0kW Air Compressor – Twin Tank Mounted with Dryer and two Filters</i> | <i>QS11TTDFF</i> | <i>26.9 L/s (57cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>15.0kW Air Compressor – Twin Tank Mounted</i> | <i>QS15TT</i> | <i>38.2 L/s (81cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>15.0kW Air Compressor – Twin Tank Mounted with Dryer</i> | <i>QS15TTD</i> | <i>38.2 L/s (81cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>15.0kW Air Compressor – Twin Tank Mounted with Dryer and two Filters</i> | <i>QS15TTDFF</i> | <i>38.2 L/s (81cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |

*Performance is specified according to PNEUROP / GAGI PN2CPT2 measured at 7.0 bar
Free Air Delivery is measured at 7.0 bar discharge pressure and with a 7.0 bar drive arrangement
Data is subject to change without notice*

QUANTUM AIR COMPRESSORS, SERVICE AND REPAIRS
(A DIVISION OF AIR COMPRESSOR PRODUCTS AND SERVICES PTY LTD – ABN: 62 140 703 939)

PHONE – 1300 106 377
EMAIL – sales@aircompressorproducts.com.au
WEBSITE – www.quantumaircompressors.com.au

THE QACS&R SMALL ROTARY SCREW AIR COMPRESSOR RANGE

| <i>Description</i> | <i>Model</i> | <i>Free Air Delivery</i> | <i>Pressure (bar)</i> | <i>Tank Volume (L)</i> |
|--|---------------|--------------------------|-----------------------|-------------------------------|
| <i>Twin Small Rotary Screw Air Compressor Range - Single Tank Mounted Models</i> | | | | |
| <i>2 x 7.5kW Air Compressors – Tank Mounted</i> | <i>QSD15T</i> | <i>36.8 L/s (78cfm)</i> | <i>8.0 or 10.0</i> | <i>260, 450 or 800 litres</i> |
| <i>2 x 11.0kW Air Compressors – Tank Mounted</i> | <i>QSD22T</i> | <i>53.8 L/s (114cfm)</i> | <i>8.0 or 10.0</i> | <i>260, 450 or 800 litres</i> |
| <i>2 x 15.0kW Air Compressors – Tank Mounted</i> | <i>QSD30T</i> | <i>76.4 L/s (162cfm)</i> | <i>8.0 or 10.0</i> | <i>260, 450 or 800 litres</i> |

| <i>Description</i> | <i>Model</i> | <i>Free Air Delivery</i> | <i>Pressure (bar)</i> | <i>Tank Volume (L)</i> |
|--------------------|--------------|--------------------------|-----------------------|------------------------|
|--------------------|--------------|--------------------------|-----------------------|------------------------|

*Performance is specified according to PNEUROP / GAGI PN2CPT2 measured at 7.0 bar
Free Air Delivery is measured at 7.0 bar discharge pressure and with a 7.0 bar drive arrangement
Data is subject to change without notice*

QUANTUM AIR COMPRESSORS, SERVICE AND REPAIRS
(A DIVISION OF AIR COMPRESSOR PRODUCTS AND SERVICES PTY LTD – ABN: 62 140 703 939)

PHONE – 1300 106 377
EMAIL – sales@aircompressorproducts.com.au
WEBSITE – www.quantumaircompressors.com.au

THE QACS&R SMALL ROTARY SCREW AIR COMPRESSOR RANGE

| <i>Twin Small Rotary Screw Air Compressor Range – Twin Tank Mounted Models</i> | | | | |
|--|------------------|--------------------------|--------------------|---------------------------------|
| <i>2 x 7.5kW Air Compressors – Twin Tank Mounted</i> | <i>QSD15TT</i> | <i>36.8 L/s (78cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>2 x 7.5kW Air Compressors – Twin Tank Mounted with Dryer</i> | <i>QSD15TTD</i> | <i>36.8 L/s (78cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>2 x 7.5kW Air Compressors – Twin Tank Mounted with Dryer and two Filters</i> | <i>QSD15TTDF</i> | <i>36.8 L/s (78cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>2 x 11.0kW Air Compressors – Twin Tank Mounted</i> | <i>QSD22TT</i> | <i>53.8 L/s (114cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>2 x 11.0kW Air Compressors – Twin Tank Mounted with Dryer</i> | <i>QSD22TTD</i> | <i>53.8 L/s (114cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>2 x 11.0kW Air Compressors – Twin Tank Mounted with Dryer and two Filters</i> | <i>QSD22TTDF</i> | <i>53.8 L/s (114cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>2 x 15.0kW Air Compressors – Twin Tank Mounted</i> | <i>QSD30TT</i> | <i>76.4 L/s (162cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>2 x 15.0kW Air Compressors – Twin Tank Mounted with Dryer</i> | <i>QSD30TTD</i> | <i>76.4 L/s (162cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |
| <i>2 x 15.0kW Air Compressors – Twin Tank Mounted with Dryer and two Filters</i> | <i>QSD30TTDF</i> | <i>76.4 L/s (162cfm)</i> | <i>8.0 or 10.0</i> | <i>520, 900 or 1,600 litres</i> |

*Performance is specified according to PNEUROP / GAGI PN2CPT2 measured at 7.0 bar
Free Air Delivery is measured at 7.0 bar discharge pressure and with a 7.0 bar drive arrangement
Data is subject to change without notice*

QUANTUM AIR COMPRESSORS, SERVICE AND REPAIRS
(A DIVISION OF AIR COMPRESSOR PRODUCTS AND SERVICES PTY LTD – ABN: 62 140 703 939)

PHONE – 1300 106 377
EMAIL – sales@aircompressorproducts.com.au
WEBSITE – www.quantumaircompressors.com.au